

1964 cust_id
159423 insp_id
153 site_id

INSPECTION REPORT

MAINE STATE OF
MAINE WILDLIFE PARK

Customer ID: 1964

Certificate: 11-C-0002

56 GAME FARM ROAD
GRAY, ME 04034

Site: 001

STATE OF MAINE GAME FARM

Inspection

Type: ROUTINE INSPECTION

Date: JUL-28-2004

3.127 (d)


FACILITIES, OUTDOOR.

Perimeter fence. On or after May 17, 2000, all outdoor housing facilities (i.e., facilities not entirely indoors) must be enclosed by a perimeter fence that is of sufficient height to keep animals and unauthorized persons out. Fences less than 8 feet high for potentially dangerous animals, such as, but not limited to, large felines (e.g., lions, tigers, leopards, cougars, etc.), bears, wolves, rhinoceros, and elephants, or less than 6 feet high for other animals must be approved in writing by the Administrator. The fence must be constructed so that it protects the animals in the facility by restricting animals and unauthorized persons from going through it or under it and having contact with the animals in the facility, and so that it can function as a secondary containment system for the animals in the facility. It must be of sufficient distance from the outside of the primary enclosure to prevent physical contact between animals inside the enclosure and animals or persons outside the perimeter fence. Such fences less than 3 feet in distance from the primary enclosure must be approved in writing by the Administrator.

Perimeter fence in areas (gate) up to 9 inches off the ground.

CORRECT BY 11-01-04

Prepared By:


CLEMENT DUSSAULT, USDA, APHIS, Animal Care

Date:

JUL-28-2004

Title: VE

(b)(6), (b)(7)(c)

ID: 1003

Received By:

Title:

Date:

JUL-28-2004